

ECO 300/UK GENERATOR

| Generating Method | | Rotating Field | |
|----------------------|----------------------------------|-----------------------|------------------|
| Welding Generator | Rated Voltage (V) | Max 85 | |
| | ECO MODE | Current Adj Range (A) | 30 - 200 |
| | | Welding Rod (mm) | 2.0 - 5.0 |
| | AUTO/HIGH MODE | Current Adj Range (A) | 40 - 300 |
| Welding Rod (mm) | | 2.0 - 6.0 | |
| Rated Frequency (Hz) | | 50 | |
| AC Generator | Phase | 1 - Phase | 3 - Phase |
| | Rated Voltage (V) | 110 CTE | 415 |
| | Power Factor | 1.0 | 0.8 |
| | Rated Output (kVA) | 3.3 | 8 |
| Rating | | Continuous | |
| Engine | Make/Model | Kubota D722 | |
| | Rated Speed (min ⁻¹) | 3000 | |
| | Fuel | Diesel | |
| | Fuel Tank Capacity (L) | 37 | |
| Set | Dimensions | Skid | Road Tow Trailer |
| | Length (mm) | 1410 | 2560 |
| | Width (mm) | 566 | 1200 |
| | Height (mm) | 760 | 1110 |
| | Dry Weight (kg) | 348 | 393 |
| | Noise (dB L _{WA}) | 88 | |

- ECO mode
- 8kVA 3 Phase
- Super Silent
- Compact Design

Included as Standard

- Integrated drip tray
- Chalwyn valve
- Spark arrestor

